

Contents

VOLUME 99 PART 3 JULY 1991

Commentary		
Hernandez-Verdun, D. The nucleolus today	465	
Review		
Dudits, D., Bogre, L. and Gyorgyey, J. Molecular and cellular approaches to the analysis of plant embryo development from somatic cells <i>in vitro</i>	473	
Book Review	483	
Amatayakul-Chantler, S., Ferguson, M. A. J., Dwek, R. A., Rademacher, T. W., Parekh, R. B., Crandall, I. E. and Newell, P. C. Cell surface oligosaccharides on <i>Dictyostelium</i> during development	485	
Jiang, W.-Q., Wendel-Hansen, V., Lundkvist, Å., Ringertz, N., Klein, G. and Rosén, A. Intracellular distribution of Epstein-Barr virus-encoded nuclear antigens EBNA-1, -2, -3 and -5	497	
Lichtenstein, A. V., Zaboikin, M. M., Sjakste, N. I. and Alechina, R. P. Differential dissociation of chromatin digests: a novel approach revealing a hierarchy of DNA-protein interactions within chromatin domains	503	
León, P., Kezer, J. and Schabtach, E. Further observations on nucleolar tails in amphibian oocytes	515	
Andreassen, P. R., Palmer, D. K., Wener, M. H. and Margolis, R. L. Telophase disc: a new mammalian mitotic organelle that bisects telophase cells with a possible function in cytokinesis	523	
Gonzalez, C. and Satre, M. Endocytosis in <i>Dictyostelium discoideum</i> amoebae. Inhibition by cycloheximide and other inhibitors of protein synthesis	535	
Cole, L., Coleman, J., Kearns, A., Morgan, G. and Hawes, C. The organic anion transport inhibitor, probenecid, inhibits the transport of Lucifer Yellow at the plasma membrane and at the tonoplast in suspension-cultured plant cells	545	
Oparka, K. J., Murant, E. A., Wright, K. M., Prior, D. A. M. and Harris, N. The drug probenecid inhibits the vacuolar accumulation of fluorescent anions in onion epidermal cells	557	
Kamada, T., Bracker, C. E., Lippman, E. and Bartnicki-Garcia, S. Unexpected destruction of chitosomal chitin synthetase by an endogenous protease during sucrose density gradient purification	565	
Deng, Y., Griffiths, G. and Storrie, B. Comparative behavior of lysosomes and the pre-lysosome compartment (PLC) in <i>in vivo</i> cell fusion experiments	571	
Whitby, D. J., Longaker, M. T., Harrison, M. R., Adzick, N. S. and Ferguson, M. W. J. Rapid epithelialisation of fetal wounds is associated with the early deposition of tenascin	583	
Kowalczyńska, H. M. and Kamiński, J. Adhesion of L1210 cells to modified styrene copolymer surfaces in the presence of serum	587	
Godfroid, E., Geuskens, M., Dupressoir, T., Parent, I. and Szpirer, C. Cytokeratins are exposed on the outer surface of established human mammary carcinoma cells	595	
Baffet, G., Loyer, P., Glaize, D., Corlu, A., Etienne, P.-L. and Guguen-Guillouzo, C. Distinct effects of cell-cell communication and corticosteroids on the synthesis and distribution of cytokeratins in cultured rat hepatocytes	609	
Sanders, E. J. and Prasad, S. Possible roles for TGF β 1 in the gastrulating chick embryo	617	
Jahoda, C. A. B., Reynolds, A. J., Chaponnier, C., Forester, J. C. and Gabbiani, G. Smooth muscle α -actin is a marker for hair follicle dermis <i>in vivo</i> and <i>in vitro</i>	627	
Lisanti, M. P., Caras, I. W. and Rodriguez-Boulan, E. Fusion proteins containing a minimal GPI-attachment signal are apically expressed in transfected MDCK cells	637	
Marriott, A., Ayad, S. and Grant, M. E. The synthesis of type X collagen by bovine and human growth-plate chondrocytes	641	
Skinner, S. J. M., Somervell, C. E., Buch, S. and Post, M. Transferrin gene expression and transferrin immunolocalization in developing fetal rat lung	651	
Lewandowska, K., Choi, H. U., Rosenberg, L. C., Sasse, J., Neame, P. J. and Culp, L. A. Extracellular matrix adhesion-promoting activities of a dermatan sulfate proteoglycan-associated protein (22K) from bovine fetal skin	657	
Nugent, J. H. A., Alfa, C. E., Young, T. and Hyams, J. S. Conserved structural motifs in cyclins identified by sequence analysis	669	