

Journal of Cell Science

Journal of Cell Science

VOLUME 92 1989

Editors

GARY BORISY (USA Editor) A. V. GRIMSTONE HENRY HARRIS R. T. JOHNSON

Editorial Board

RUDI APPELS PETER BARLOW MICHAEL BENNETT
ADRIAN BIRD ANTHONY BRETSCHER KEITH BURRIDGE
PETER COOK MICHAEL DEXTER GRAHAM DUNN
WILLIAM EARNSHAW DAVID GARROD BENNY GEIGER
IAN GIBBONS DAVID GLOVER SIAMON GORDON
CHRIS GRAHAM BRIAN GUNNING R. COLIN HUGHES
GORDON KOCH DAVID LANE RON LASKEY
CLIVE LLOYD HERBERT MACGREGOR CHRIS MARSHALL
FREDERICK MAXFIELD KENNETH MILLER SHIGEKI MIZUNO
PETER NEWELL BRUCE NICKLAS POTU RAO
KEITH ROBERTS JOEL ROSENBAUM ULRICH SCHEER
NICHOLAS SEVERS ERIK SCHWEITZER ALAN TARTAKOFF
JEAN-PAUL THIERY JEAN THOMAS GRAHAM WARREN FIONA WATT

Published by

THE COMPANY OF BIOLOGISTS LIMITED CAMBRIDGE

Typeset, Printed and Published by
The Company of Biologists Limited
Department of Zoology, University of Cambridge, Downing Street,
Cambridge CB2 3EJ

© The Company of Biologists Limited 1989

Contents

Volume 92 1989

Commentary			
Vicker, M. G.			
Gradient and temporal signal perception in chemotaxis	1		
Book Reviews	5		
Boisvieux-Ulrich, E., Laine, M.-C. and Sandoz, D.			
<i>In vitro</i> effects of taxol on ciliogenesis in quail oviduct	9		
Stebbing, H. and Sharma, K. K.			
'Corkscrewing', as evidence for force generation within a detergent-extracted microtubule translocation system from insect ovaries	21		
Beaulieu, J.-F., Arrigo, A. P. and Tanguay, R. M.			
Interaction of <i>Drosophila</i> 27 000 <i>M_r</i> heat-shock protein with the nucleus of heat-shocked and ecdysone-stimulated culture cells	29		
Jackson, D. A., Pearson, C. K., Fraser, D. C., Prise, K. M. and Wong, S. Y.			
Methotrexate-induced morphological changes mimic those seen after heat shock	37		
Simanis, V. and Nurse, P.			
Characterization of the fission yeast <i>cdc10⁺</i> protein that is required for commitment to the cell cycle	51		
Webster, D. R. and Borisy, G. G.			
Microtubules are acetylated in domains that turn over slowly	57		
Fath, K. R., Edgell, C.-J. S. and Burridge, K.			
The distribution of distinct integrins in focal contacts is determined by the substratum composition	67		
Sakakibara, H. and Kamiya, R.			
Functional recombination of outer dynein arms with outer arm-missing flagellar axonemes of a <i>Chlamydomonas</i> mutant	77		
Patton, W. F., Dhanak, M. R. and Jacobson, B. S.			
Differential partitioning of plasma membrane proteins into the Triton X-100-insoluble cytoskeleton fraction during concanavalin A-induced receptor redistribution	85		
Fawcett, J. W., Rokos, J. and Bakst, I.			
Oligodendrocytes repel axons and cause axonal growth cone collapse	93		
Halleck, M. S., Schlegel, R. A. and Rose, K. M.			
Cytoplasmic to nuclear translocation of RNA polymerase I is required for lipopolysaccharide-induced nucleolar RNA synthesis and subsequent DNA synthesis in murine B lymphocytes	101		
Bergethon, P. R., Trinkaus-Randall, V. and Franzblau, C.			
Modified hydroxyethylmethacrylate hydrogels as a modelling tool for the study of cell-substratum interactions	111		
Verheijen, R., Kuijpers, H. J. H., Schlingemann, R. O., Boehmer, A. L. M., van Driel, R., Brakenhoff, G. J. and Ramaekers, F. C. S.			
Ki-67 detects a nuclear matrix-associated proliferation-related antigen. I. Intracellular localization during interphase	123		
List of Supplements			
Commentary			
Lohka, M. J.			
Mitotic control by metaphase-promoting factor and <i>cdc</i> proteins	131		
Review			
Glover, D. M.			
Mitosis in <i>Drosophila</i>	137		
Islam, M. Q., Szpirer, J., Szpirer, C., Islam, K., Dasnoy, J.-F. and Levan, G.			
A gene for the suppression of anchorage independence is located in rat chromosome 5 bands q22-23, and the rat alpha-interferon locus maps at the same region	147		
Ulmer, J. B., Dolci, E. D. and Palade, G. E.			
Glycophorin expression in murine erythroleukaemia cells	163		
Judah, J. D., Howell, K. E., Taylor, J. A. and Quinn, P. S.			
Potassium depletion inhibits the intracellular transport of secretory proteins between the endoplasmic reticulum and the Golgi complex	173		
Passaniti, A. and Roth, T. F.			
Coated vesicles from chicken liver bind ferritin	187		
Busch, G. R. and Satir, B. D.			
The secretory vesicle in living <i>Paramecium</i> is acidic	197		

Antony, C. and Capdeville, Y. Uneven distribution of surface antigens during antigenic variation in <i>Paramecium primaurelia</i>	205	Appels, R. Three-dimensional arrangements of chromatin and chromosomes: old concepts and new techniques	325
Raghavan, V. mRNAs and a cloned histone gene are differentially expressed during anther and pollen development in rice (<i>Oryza sativa</i> L.)	217	Oud, J. L., Mans, A., Brakenhoff, G. J., van der Voort, H. T. M., van Spronsen, E. A. and Nanninga, N. Three-dimensional chromosome arrangement of <i>Crepis capillaris</i> in mitotic prophase and anaphase as studied by confocal scanning laser microscopy	329
Francz, P. I., Bayreuther, K. and Rodemann, H. P. Cytoplasmic, nuclear, membrane-bound and secreted [³⁵ S]methionine-labelled polypeptide pattern in differentiating fibroblast stem cells <i>in vitro</i>	231	Engström, W., Larsson, O. and Sachsenmaier, W. The effects of tunicamycin, mevinolin and mevalonic acid on HMG-CoA reductase activity and nuclear division in the myxomycete <i>Physarum polycephalum</i>	341
Lee, C. M. and Dessi, J. NCL-SG3: a human eccrine sweat gland cell line that retains the capacity for transepithelial ion transport	241	Khar, A. and Mitchison, J. M. Observations on ultracentrifuging wild-type and mutant (<i>cdc2.33</i>) cells of <i>Schizosaccharomyces pombe</i>	345
Ghahary, A., McPherson, P. S. and Cheng, K. W. A serum factor inducing neurite retraction of morphologically differentiated neuroblastoma × glioma NG108-15 cells	251	Cleffmann, G. The transient division block in the D9 _{ts} mutant of <i>Tetrahymena</i> is inducible at every cell cycle stage	349
Simon, L. V., Pizzey, J. A. and Jones, G. E. The kinetics of cell-substratum detachment mediated by trypsin: a comparison of normal and Duchenne fibroblasts	257	Wang, H. C., Chen, J. D., Li, G. C. and Yew, F. H. Characterization of a heat-resistant strain of <i>Tilapia</i> ovary cells	353
Docherty, R., Forrester, J. V., Lackie, J. M. and Gregory, D. W. Glycosaminoglycans facilitate the movement of fibroblasts through three-dimensional collagen matrices	263	Paulin-Levasseur, M., Scherbarth, A., Giese, G., Röser, K., Bohn, W. and Traub, P. Expression of nuclear lamins in mammalian somatic cells lacking cytoplasmic intermediate filament proteins	361
Lancaster, C. A., Fryer, P. R., Griffiths, S. and Mason, R. M. Ultrastructural changes accompany inhibition of proteoglycan synthesis in chondrocytes by Cyclofenil diphenol	271	Hargreaves, A. J., Dawson, P. J., Butcher, G. W., Larkins, A., Goodbody, K. C. and Lloyd, C. W. A monoclonal antibody raised against cytoplasmic fibrillar bundles from carrot cells, and its cross-reaction with animal intermediate filaments	371
Cherry, L. M., Faulkner, A. J., Grossberg, L. A. and Balczon, R. Kinetochore size variation in mammalian chromosomes: an image analysis study with evolutionary implications	281	Brown, A. F. and Dunn, G. A. Microinterferometry of the movement of dry matter in fibroblasts	379
Parissenti, A. M. and Coukell, M. B. Identification of a nucleic acid-regulated cyclic GMP-binding activity in <i>Dictyostelium discoideum</i>	291	Stephens, R. E., Oleszko-Szuts, S. and Linck, R. W. Retention of ciliary ninefold structure after removal of microtubules	391
Homma, K. and Hastings, J. W. Cell growth kinetics, division asymmetry and volume control at division in the marine dinoflagellate <i>Gonyaulax polyedra</i> : a model of circadian clock control of the cell cycle	303	Stephens, R. E. Quantal tektin synthesis and ciliary length in sea-urchin embryos	403
Hellung-Larsen, P. and Andersen, A. P. Cell volume and dry weight of cultured <i>Tetrahymena</i>	319	Andersson Forsman, C. and Pinto da Silva, P. Surface views of spermatozoa as revealed by fracture-flip	415
List of Supplements			

Williams, N. E., Honts, J. E. and Stuart, K. R. Properties of microtubule-free cortical residues isolated from <i>Paramecium tetraurelia</i>	427	Verheijen, R., Kuijpers, H. J. H., van Driel, R., Beck, J. L. M., van Dierendonck, J. H., Brakenhoff, G. J. and Ramaekers, F. C. S. Ki-67 detects a nuclear matrix-associated proliferation-related antigen. II. Localization in mitotic cells and association with chromosomes	531
Williams, N. E., Honts, J. E., Lu, Q., Olson, C. L. and Moore, K. C. Identification and localization of major cortical proteins in the ciliated protozoan, <i>Euplotes</i> <i>eury stomus</i>	433	Traas, J. P., Burgain, S. and Dumas de Vault, R. The organization of the cytoskeleton during meiosis in eggplant (<i>Solanum melongena</i> (L.)): microtubules and F-actin are both necessary for coordinated meiotic division	541
Tindall, S. H., DeVito, L. D. and Nelson, D. L. Biochemical characterization of the proteins of <i>Paramecium</i> secretory granules	441	Slominski, A., Moellmann, G. and Kuklinska, E. MSH inhibits growth in a line of amelanotic hamster melanoma cells and induces increases in cyclic AMP levels and tyrosinase activity without inducing melanogenesis	551
Noe, D. A. and Delenick, J. C. Quantitative analysis of membrane and secretory protein processing and intracellular transport	449	Tienari, J., Virtanen, I. and Lehtonen, E. Lectin binding of F9 embryonal carcinoma cells: evidence for population heterogeneity and developmentally regulated high- M_r cell surface proteins	561
Rochlin, M. W., Chen, Q., Tobler, M., Turner, C. E., Burr ridge, K. and Peng, H. B. The relationship between talin and acetylcholine receptor clusters in <i>Xenopus</i> muscle cells	461	Tang, X., Hepler, P. K. and Scordilis, S. P. Immunochemical and immunocytochemical identification of a myosin heavy chain polypeptide in <i>Nicotiana</i> pollen tubes	569
Kuter, I., Johnson-Wint, B., Beaupre, N. and Gross, J. Collagenase secretion accompanying changes in cell shape occurs only in the presence of a biologically active cytokine	473	Wang, H., Cutler, A. J. and Fowke, L. C. High frequencies of preprophase bands in soybean protoplast cultures	575
Murphy, G., Hembry, R. M., McGarrity, A. M., Reynolds, J. J. and Henderson, B. Gelatinase (type IV collagenase) immunolocalization in cells and tissues: use of an antiserum to rabbit bone gelatinase that identifies high and low M_r forms	487	Cho, S.-O. and Wick, S. M. Microtubule orientation during stomatal differentiation in grasses	581
Sanders, E. J. and Prasad, S. Invasion of a basement membrane matrix by chick embryo primitive streak cells <i>in vitro</i>	497	Prescott, A. R., Foster, K. E., Warn, R. M. and Gull, K. Incorporation of tubulin from an evolutionarily diverse source, <i>Physarum polycephalum</i> , into the microtubules of a mammalian cell	595
Smith, P. Effect of hypoxia upon the growth and sprouting activity of cultured aortic endothelium from the rat	505	Díaz-Nido, J. and Avila, J. Characterization of proteins immunologically related to brain microtubule-associated protein MAP-1B in non-neural cells	607
Oliver, M. H., Harrison, N. K., Bishop, J. E., Cole, P. J. and Laurent, G. J. A rapid and convenient assay for counting cells cultured in microwell plates: application for assessment of growth factors	513	Hollenbeck, P. J., Bershinsky, A. D., Pletjushkina, O. Y., Tint, I. S. and Vasiliev, J. M. Intermediate filament collapse is an ATP- dependent and actin-dependent process	621
Dráber, P., Dráberová, E., Linhartová, I. and Viklický, V. Differences in the exposure of C- and N-terminal tubulin domains in cytoplasmic microtubules detected with domain-specific monoclonal antibodies	519	Burkhardt, J. K. and Argon, Y. Intracellular transport of the glycoprotein of VSV is inhibited by CCCP at a late stage of post- translational processing	633
List of Supplements		Burkhardt, J. K., Hester, S. and Argon, Y. The glycoprotein of VSV accumulates in a distal Golgi compartment in the presence of CCCP	643
Book Reviews	529		